




Polypello

Designed by Erik Osterland

Private personal space within a public environment. Polypello provides the designer with a set of "S Curve", "Circular" and "Semi Circular" benches to form creative meandering configurations.




Layout Example. Please note the combination of benches and components (end fittings, S-joints, and C-joints).

Please contact Hightower Group for specification and budgeting assistance.


Rough layouts can be sent via fax to 206.260.3287 or as an email attachment to:

service@hightoweraccess.com


U80-51




U80-52



U80-50



U80-60 (M)





NU8045 Pello Stool

H 19 ½ Diameter 17 ¾

- Standard seat colors; Black or Blue. Custom colors available with upcharge.
- Frame in tubular steel, center tube 28X2mm, seat and frame tube 16X2mm. Steel base 300X5mm. The steel is polyester powder-coated in Silver.
- Free standing or prepared for attachment.
- Perfect for indoor or outdoor environments.

Trade Net Price: 495

Hightower Group LLC
New York Design Center
200 Lexington Avenue – Studio 1316
New York, NY 10016

(P) 212.725.3509 (E) service@hightoweraccess.com

POLYPELLO

	Trade Net
NU8052 S-shaped bench w/ six seats. L 117 D 39 H 19	3550
NU8051 Semi-circular bench w/ six seats. L 94 ½ D 45 H 19	3550
NU8050 Circular Bench w/ twelve seats. Outer Diameter 98 ½ Center Radius 41 ½ H 19	6950
Details for combinations:	
NU8060 Radius section w/ 3 seats	1690
NU8061 S-Joint Right	325
NU8062 S-Joint Left	325
NU8063 C-Joint	325
NU8064 End Section Left	325
NU8065 End Section Right	325

- Specify base frame color: Black (RAL 9005), Gray (RAL 7011) or Red (RAL 2002)
- Polyurethane seats come standard in Black.
- Specify Ground mount or Attachable. Ground mount frame is equipped with prolonged legs with extended bases to be bolted to cast-in-situ foundations under ground. Attachable frame is equipped with plates to be bolted to paving or cast-in-situ foundations above ground. Custom colors available.
- Base frame is constructed of zinc-plated, polyester powder coated steel.